




Powered by **Novacel**

Industrial laminators for the Furniture industry



IN-LINE AND OFF-LINE LAMINATORS



TX



Working widths

1,250 mm (49")
1,500 mm (59")
2,000 mm (79")
Other sizes available on customer request



Added value

- Cut-to-edge
- Quick and easy film changeover
- Application to top, bottom or both faces
- Antistatic bar on request



Thickness

0.5 mm to 80 mm (0.02" to 3.15")
Other sizes available on customer request




Cutting system

Automatic



Complies with EU machinery directive 2006/42/EC



ADDITIONAL EQUIPMENT

- Automatic feeding system
- Conveyors
- Automatics stacking systems

FOR THE FURNITURE INDUSTRY

TX PRECISION



Working widths

1,300 mm (51")
1,600 mm (63")
2,000 mm (79")
Other sizes available on customer request



Added value

- Negative & positive cut
- Cut-to-edge
- Automatic film tension control (no film elongation)
- Servo-positioning according to substrate thickness
- Application to top, bottom or both faces
- Antistatic bar on request



Thickness

0.5 mm to 80 mm
(0.02" to 3.15")



Cutting system

Automatic



Complies with EU machinery directive 2006/42/EC



WALCO® LAMINATORS

- Perfect film application on your substrates:
 - Bubble-free
 - Wrinkle-free
 - No film elongation
- Safety & Ergonomics
- Easy to use
- Industrial & compact

I WALCO



Working widths

1,320 mm (52")
1,575 mm (62")
Other sizes available on customer request



Added value

- High efficiency motor, environmentally friendly system
- Cantilevered loading and unloading
- LED lighting
- Whisper quiet belt drive
- HMI touch screen
- Powered exit conveyor




Thickness

0.5 mm to 80 mm (0.02" to 3.15")
Other sizes available on customer request



Cutting system

Manual



Safety & Ergonomics

Complies with EU machinery directive 2006/42/EC



WALCO® especially recommends NOVACEL® temporary protective films for:

Novacel

- Glossy to high structured decorative laminates surfaces



- Edge banding applications




- 2D & 3D forming applications





WALCO® is a strong brand formed by three skilled and talented companies specialized in laminators, based in Western Europe & the US.

In 2017, **WALCO®** joined the leader in temporary protective films, **NOVACEL®**, and became the first global engineering group dedicated to the protection for all sensitive substrates.



3 KEY FEATURES

- Innovation & design
- Responsiveness and a customer-oriented mindset
- Safety & ergonomics

Plus all the strength provided by over 60 years of shared experience in laminators.

VALUES FOR CUSTOMERS

- Innovation
- Listening to & advising our customers to meet their protection challenges
- Meeting our commitments (design to cost, on-time delivery)
- Long-term support



CUSTOMER SERVICES

- Engineering: design, production and support
- Installation: FAT (Factory Acceptance Tests)
- Training: operators & safety
- Aftersales Support
- Spare parts





OTHER BUSINESSES



Pre-coated Metals




Plastics



Bare Metals



Profiles



Laminates



Glass & Windows



Powered by **Novacei**

www.walcotech.com

walco@chargeurs-protective.com

ASK FOR FREE RECOMMENDATIONS ON WALCO® LAMINATORS

For Americas and Asia
Los Angeles, CA, USA

+1 909 483 3333

+1 909 483 3338

walco.usa@chargeurs-protective.com

For France, Swiss and Belgium
Lyon, France

+33 (0)47 848 1144

+33 (0)47 848 1145

walco.france@chargeurs-protective.com

For Europe, Middle East and Africa
Milan, Italy

+39 02 996 4634

+39 02 996 2821

walco.italy@chargeurs-protective.com

For D, A, CH, NL, Scandinavia and East Europe

+49 152 26 22 92 31

walco.germany@chargeurs-protective.com


a CHARGEURS company